Page: 1 of 4 Date Printed: 03/30/2004

MSDS - Material Safety Data Sheet

Product Name: Soil Seal

MSDS No.:	047010								
Part Numbers	s Covered:								
047010									
047011 047012									
047013									
047020									
047060									
047062 047070									
I. Basic Inform	ation:								
Manufacturer:	WILLIAM H. HARVEY COMPA	NY				NFPA			
Address:	4334 SOUTH 67TH STREET						.		
City, ST Zip:	OMAHA, NE 68117-1019				I	Health N. 1	Reastivity		
						(2 X	0 >		
Last Update:	07/08/2002					0	/		
Chemical State	e:	X	Solid			Special			
Chemical Type	e: X Pure Mixtur	е			ı				
						2 Health			
						g Flammat	iliy		
						o Reactivil	ty		
						Pers. Pro	ntection		
II. Ingredients:									
CAS No.	Chemical Name					SARA		ACGIH	Other
0.10 1101	- Indimodi Indimo		% Range	EHS	NTP IARC	SUB Z 313	PEL	TLV	Limits
141786	ETHYL ACETATE		NI				NI	400	NI
67630	ISOPROPYL ALCOHOL		NI				400 PPM	500	NI
III. Hazardous	Identification:								
Hazard Catego							_	_	
Acute	e Chronic		Fire			Pressure		Reacti	ve
Hazardoue Ido	ntification Information:								
NDA	minication information.								
11371									
IV. First Aid M	leasures:								
Pouto(a) of F-4									
Route(s) of Ent	OTY: STION, AND INHALATION								
GRIN,INGEC	TION, AND IN IALATION								
Health Hazards (Acute and Chronic):									

Tieatti Tiazards (Acute and Onfolio).

DAMAGE TO NERVOUS SYSTEM, KIDNEYS, DROWSINESS AND HEADACHE, LETHARGY, NAUSEA, DIFFICULTY WALKING; EXCESS MAY CAUSE DAMAGE TO NERVOUS SYSTEM, BLOOD AND KIDNEYS; VAPOR CAN BE IRRITATING TO EYES, NOSE, AND THROAT; LIQUID MAY IRRITATE EYES.

Signs and Symptoms:

SEE ABOVE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure:

Page: 2 of 4 Date Printed: 03/30/2004

MSDS - Material Safety Data Sheet

Product Name: Soil Seal

MSDS No.: 047010

DROWSINESS AND HEADACHE; DAMAGE TO NERVOUS SYSTEM, KIDNEYS AND BLOOD; DIFFICULTY WALKING

Emergency and First Aid Procedures:

EMERGENCY FIRST AID CALL: 1-303-623-5716 COLLECT

EYES: FLUSH WITH LARGE AMOUNTS OF WATER AND CONSULT A PHYSICIAN

SKIN: WASH WITH SOAP AND WATER INHALATION: REMOVE TO FRESH AIR

INGESTION: DO NOT INDUCE VOMITING; CALL A PHYSICIAN

Other Health Warnings:

NI

V. Fire Fighting Measures:

Flash Point: 24 F DEG T Lower Explosive Limit: 2.0 Upper Explosive Limit:

Fire Extinguishing Media: CARBON DIOXIDE, WATER STREAM (FOG), OR DRY CHEMICAL

Special Fire Fighting Procedures:

WHEN EXPOSED TO HEAT AND FLAME, THIS IS A FIRE AND EXPLOSION HAZARD

Unusual Fire and Explosion:

WHEN BURNING, THIS MATERIAL PRODUCES TOXIC DEGRADATION PRODUCTS INCLUDING CO2, AND OXIDES OF NITROGEN; SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED IN FIGHTING FIRE.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

CONFINE SPILLED MATERIAL, ALLOW TO SET UP THEN SCRAPE OR SWEEP UP RESIDUE AND PLACE IN TRASH CONTAINER. DO NOT INCINRATE!

VII. Handling and Storage:

Precautions to be Taken:

ELIMINATE IGNITION SOURCES; KEEP COOL, KEEP CONTAINER CLOSED AFTER USE.

Other Precautions:

KEEP OUT OF REACH OF CHILDREN AND PETS!

VIII. Exposure Controls/Personal Protection:

Ventilitation Requirements:

HAVE LOCAL EXHAUST AND MECHANICAL (GENERAL) EXHAUST

Personal Protective Equipment:

ADVISED TO USE PROTECTIVE GLOVES AND EYE GOGGLES. WEAR SYNTHETIC APRON OR STANDARD LONG SLEEVED WORK APPAREL, AND A VAPOR RESPIRATOR. USE NORMAL GOOD SAFETY AND HEALTH PROCEDURES.

Page: 3 of 4 Date Printed: 03/30/2004

MSDS - Material Safety Data Sheet

Product Name: Soil Seal

MSDS No.: 047010

IX. Physical and Chemical Properties:

Boiling Point: 171 F D Melting Point: NI Evaporation Rate: NI

Vapor Pressure (mm Hg.): 76@20 C Vapor Density (AIR = 1): NI

Solubility In Water: INSOLUBLE

Apprearance and Odor: GRAY PASTE WITH ALCOHOL ODOR

Other Information:

X. Stability and Reactivity:

Stability:

STABLE

Incompatibility (Materials to Avoid):

AVOID STRONG OXIDIZING AGENTS, STRONG ACIDS, STRONG BASES AND AMINES

Decomposition/By Products:

COMBUSTION PRODUCES CARBON DIOXIDE AND CARBON MONOXIDE

Hazardous Polymerization:

WILL NOT OCCUR

XL Toxicological Information:

NDA

XII. Ecological Information:

NDA

XIII. Disposal Considerations:

DISPOSE OF WASTE MATERIAL ACCORDING TO APPLICABLE FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS.

XIV. Transport Information:

TRANSPORATION INFORMATION:

DOT PROPER SHIPPING NAME: FLAMMABLE LIQUID

DOT LABEL: ORM-D HAZARD CLASS-3.2

DOT NUMBER: N/A

UN NUMBER: 1263 FOR BULK

IMCO CLASS: N/A

DOT HAZARD CLASSIFICATION: N/A

XV. Regulatory Information:

NDA

Page: 4 of 4 Date Printed: 03/30/2004

MSDS - Material Safety Data Sheet

Product Name: Soil Seal

MSDS No.: 047010

XVI. Other Information:

ABBREVIATIONS:

N/A = NOT APPLICABLE N/I = NONE INDICATED NDA = NO DATA AVAILABLE N/E = NOT ESTABLISHED C = CELSIUS DEGREES F = FAHRENHEIT DEGREES

DISCLAIMER:

THE INFORMATION HEREIN HAS BEEN COMPILED FROM SOURCES BELIEVED TO BE RELIABLE, UP-TO-DATE, AND IS ACCURATE TO THE BEST OF OUR KNOWLEDGE. HOWEVER, WILLIAM H. HARVEY COMPANY CANNOT GIVE ANY GUARANTEES REGARDING INFORMATION FROM OTHER SOURCES, AND EXPRESSLY DOES NOT MAKE WARRANTIES, NOR ASSUMES ANY LIABILITY FOR ITS USES.